

NBL-103 / NBL-113

# Telescopic Netball Posts

---



1 person only required for this assembly  
Estimated 15 minutes assembly time



**HINT:** Before assembling your posts, attach the nets to the rings.  
Please refer to INS592 supplied

## Pack Contents


### Telescopic Netball

1. Base
2. Upright
3. Ring


### Tools Required




2x 13mm Spanner



1.  
x1  
FEP086 / FEP071 (Pair / Single)



2.  
x1  
NBL-111 / NBL-121 (Pair / Single)




3.  
x1  
NBL-047 / FEQ632 (Pair / Single)

\*parts are not to scale


## Assembly Instructions




- 1** Remove the pre-fitted Nutcaps (A), M8 Bolt (B), M8 Nyloc (C) and M8 Washers (D) from the Base (1).



- 2** Insert the larger diameter tube of the Upright (2) into the Base and secure in place using the fittings removed in the previous stage.



- 3** Slide the Ring (3) over the smaller diameter tube of the upright and secure using the M10 Hex Bolt (E), M10 Spring Washer (F) and M10 Wingnut (G) supplied with the Ring.



## Height Adjustment

- 1** Depress the spring button clip in the upright and lift the top half of the upright. Locate the button clip in the hole corresponding to the desired height. Ensure the button clip “pops” into place and is secure before using your netball posts.

